

# CATALOGUE

The professional's choice for tiling & stone masonry

alpha marketing



## **TILE CUTTERS**





## Rubi Practic 61<sub>21979</sub>

- A 600mm tile cutter with a 6mm scoring wheel, with support for 8mm and 10mm wheels
- Maximum cutting thickness: 10mm
- Chromed and rectified steel guides for excellent support
- Weighs 4.9kgs

## Rubi Star-63<sub>14945</sub>

- Manual cutter suitable for cutting glazed stoneware, ceramic tiles & porcelain upto 24inches large
- 6mm scoring wheel included, upto 10mm supported.
- Can cut upto 12mm thick and 63mm wide tiles.
- Optional carry case for easy storage
- Weighs 6.5kgs



## Rubi Genius Cut 85 14939

- Manual tile cutter
- High breaking force for cutting of ceramic and vitrified tiles
- 8mm scoring wheel included, upto 10mm supported
- Max tile width 85cm
- Max tile thickness 15mm
- Weighs 10.2kgs



## **Rubi HIT 1200N**<sub>26961</sub>

- Manual tile cutter
- 800kgs breaking force for all types of tiles
- Consists of bearing system for extremely smooth movement
- 8mm scoring wheel included, upto 10mm supported
  - For tiles upto 120mm and 15mm thick
- Carry case included for easy storage

## Rubi HIT-1600 Plus<sub>27909</sub>

- Double guide manual cutter with • multipoint breaker
- 900kgs breaking force to cut tiles upto 5.25feet long
- Supplementaty arms and double support provide better stability while working on large format tiles



## **TILE CUTTERS**



## Rubi Tiger-1800 Plus<sub>15937</sub>

- Manual tile cutting machine for ceramic, vitrified, & porcelain tiles up to 1800mm/6 feet/72 inches
- Bearing system for extremely smooth movement resulting in accurate & precise cuts
- 900kg breaking force to cut 18mm thick tiles
- Includes a 22mm scoring wheel
- 2 year warranty against manufacturing defects

## Rubi DCX250 Xpert-1550<sub>52970</sub>

- Electrically operated, Laser & Level tile saw.
- Best suited for cutting of marble, granite & ceramic tiles.
- 3HP. 220V Electric motor assembled on slide bearings for improved precision.
- 250mm diamond blade(not included).
- Equipped with ZERO DUST system.
- Adjustable water flow with removable water tank.
- Weighs 100kgs.
- Max tile width 150cm.
- Max tile thickness for mitre cuts 25mm.
- Max tile thickness for straight cuts 51mm.



## **Rubi DR 350**56940

- Electric tile cutting saw with plunge effect & movable table.
- Ideal for cutting building materials such as bricks, marble, granite, ceramic tiles, etc.
- Works on 230V Electric power supply.
- Water cooled Saw Blade, with ZERO DUST
- Weighs 63kgs.
- Max cutting width 84cm, 70mm thickness.
- Max RPM 2800.



## LARGE TILE CUTTERS





### Rubi TC-125 Circular Cutter Kit 51909

- Specially designed electronic cutting saw system for large format tiles and stones
- Compatible for dry and wet cutting
- For cutting ceramic sheets and all kinds of ceramic tiles. Suitable for natural stone
- Compatible with 115mm-125mm blades
- Max cutting length 320cm, 25mm height
- Weighs 14kgs
- Use with RUBI AS-30 VACUUM CLEANER for dust free cutting

## TC-125 Circular Saw 51918

- TC-125 saw can cut marbles 25mm thick
- Blade of upto 125mm diameter can be used
- Switch with safety lock prevents un-intentional startup
- Weighs 14kgs





## **Rubi Slim System Cutter Plus**<sub>18959</sub>

- Manual cutting system
- Specially designed for porcelain tiles
- Can facilitate tile cutting of upto 3m in width
- Max thickness 10mm
- Set consists of:
  - » 3 x 110cm guides
  - » 1 x 22mm scoring wheel
  - » 1 break nipper
  - » 3 suction cups
  - » Carry bag
- Use RUBI SLIM BREAKER for tiles thicker than 10mm.





## **SLAB SYSTEMS**





## Rubi Slab Trans Heavy Duty18936

- Supports large format tiles up to 320cm in length
- Sytstem can be used as a complement to Rubi Slim Cutter and TC-125 cutting systems
- Consists of extruded, reinforced and retractable bars adjustable from 160cm to 320cm
- Cross beams provide added rigidity and robustness to the system
- · 6 vaccum cups ensure secure fixing
- Maximum load bearing 140kgs

## Slim EasyTrans Transport System<sub>18910</sub>

- The Slim EasyTrans is a light duty variant of the Slab trans system
- Like the Heavy Duty, it has 2 retractable guides adjustable from 160-320cms
- 10 suction cups included in the package
- Max load bearing capacity 60kgs





## Rubi Slab Trolley<sub>18934</sub>

- Transport system for manouvering large format tiles
- Suitable for thick and heavy slabs
- Ultra light weight with high 140kgs load bearing capacity
- Extendable support arms for easy loading and unloading of slabs

### Rubi Slab Table<sub>18935</sub>

- Workbench to support cutting and preparation of large format tiles
- Reinforced bars improve rigidity
- Easy and fast assembly & disassembly
- Maximum load capacity 250kgs
- Working height provided: 70cm







#### EasyGres Drill Bits for wet drilling of holes.

#### Sizes available:

- 8mm<sub>4923</sub>
- 10mm<sub>4924</sub>
- 20mm 5961
- 28mm 5962
  - 35mm 5963
- 100mm 5981 120mm 5982

50mm 5966

55mm 5967


• 75mm<sub>5979</sub>

Multidrill Water Tank for dust free cutting.

•



Rule Support Set to hold ruler when laying first line of tiles on walls.



Hole Marker to quickly and accurately mark placement of round and square holes.



Notched Trowel, to ensure uniform application of adhesive.



Multi Drill Guides to make perfectly centred holes.



Nippers for cutting tile edges in a desired shape.



Rubber Grout Float for filling grout between tiles.







Suction Cups for easy and safe handling of tiles.



**Tile Gap Regulator** for precise adjustment of space between large format tiles.



**Rubber Hammer** to pound tile while laying to ensure uniform spread of adhesive underneath.




Shape Template enables transfer of difficult to measure shapes on to the tile.



**Outliners** for outlining joints in silicon, polyurethane, plaster, grout, etc.



Sealant Gun for fast, clean application of mortar or silicon sealant.



Sprit Level to ensure perfectly horizontal or vertical surface



High absorption Sponge for cleaning extra grout.



Tile Beating Block to ensure good positioning and level of tile.



Trowel with Sponge for cleaning extra grout.

alpha marketing

TILE INSTALLATION TOOLS





## **Rubi Triller**

Triller is a compact manual vibrator designed for vibrating large format tiles. It maximises adhesion by removing air trapped under the tile.

- Compact and light weight design facilitates use on floor and wall tiles.
- Floating carbon steel chassis with built-in vibration reduction system for user comfort.
- 230V electric connection required to operate, with maximum 2940RPM speed.




Washboy Bucket for easy and efficient cleaning of extra grout.



Suction cup for handling tiles with rough surfaces.



Table Extensionincreases work spacefor large format tiles.



**Tile fixer** allows fixing of tiles during cutting, thus avoiding sudden movements and resulting in clean cuts.



**Professional Toolbox** makes storage and handling of tools easier, with its ergonomic design, multiple compartments and wheels for transportation.







## **Delta Levelling System**

- Helps avoid creation of eyebrows during the installation of ceramic tiles on floor & walls.
- Prevents movement of tiles during the setting of adhesive and installation of tiles.



- Electric grout scrapper for removal of tile grout.
- Ergonomic design, light weight & resistant.
- Resharpable tungsten carbide blade.
- Works on 230V Electric Power supply.
- 3 speed control.

### **Grout Scrapper**

- Handy for repair work for a small number of tiles.
- 2mm thick tungsten carbide blade.
- Easy to use ergonomic handle.



## Cyclone Levelling System<sub>35964,5</sub>

- Helps avoid lippage during during the installation of ceramic tiles on floor & walls.
- Recommended to be used with tiles no larger than 30x30cm.
- Cyclone kit comes with 300 cross and T spacers, and 100 reusable threaded caps.









## Rubi Pro-Edger for Bevelling<sub>16956</sub>

- A professional accessory designed for bevelling and mitring ceramic tile and natural stone
- Uses a mini-angle grinder and Pro-Edger diamond blades
- Compatible with 115-125mm angle grinders
- Compatible with ZERO DUST system by means of a clip for fixing a vaccum cleaner



Turbo Twist Coarse Grit Mitre Grinding Wheel



Fine Grit Mitre Grinding Wheel



Fine Grit Bevel Grinding Wheel

### Rubi AS-30 Pro Vaccum Cleaner 50962

- For wet & dry vaccumming
- Max airflow: 58L/sec at 18psi
- CDouble Switch: On/Off and automatic start
- Accessories included
  - » Hose, nozzle(35/37mm) and crevice tool,
  - » Steel pipes
  - » Wet brush
  - » Filter damp spone for wet
  - » HEPA filter for dry





### Ergonomic Seat 81999

- · Aluminium chassis for high strength & stability
- · Allows for an ergonomic seating position
- · Helps prevent knee and back injury
- · Adjustable seat height and angle for optimum comfort
- Robust construction with 7 heavy duty wheels
- Includes a tray for all your tools
- Maximum weight 130kgs



## BLADES AND POLISHING PADS

HARD MATERIALS

Blades for cutting

hard materials such

as granite, slate,

tiles, etc.



#### **GENERAL CERAMIC**

Blades for cutting marble & ceramic tiles. Not recommended for hard materials.



**CEV** is a general purpose blade for cutting ceramic, vitrified tiles & marble



**CSV** is the most preferred blade for dry cutting with a grinder, of all kinds of ceramic tiles.



**CPA** is used for hard materials such as vertified tiles, marble, granite, etc.



**TVA** is used to cut hard materials such as vitrified tiles, marble, granite, etc, and provides high cutting speed

#### PORCELAIN

Blades best suited for fine cuts of porcelain tiles. Capable of mitre cuts.



**CPC** is for cutting vitrified tiles. It provides an excellent finish quality and can perform mitre cuts



**TCR** blade for cutting porcelain tiles is favoured by ceramic tile fixers



## **Polishing Pads**

- For polishing surfaces/edges/bevelling/edge grinding of natural stones and tiles
- Available for Wet & Dry application
- Available in Grit size ranging from 50 to 3000



**ELECTRIC MIXERS** 





## RubiMix-7<sub>26900</sub>

- 230V, Electrically driven mixer
- 120mm mixer diameter
- Spindle length 550mm
- Dual mechanical speeds with max 810rpm
- · Max mixing capacity 40kgs
- Weighs 5.5kgs

## RubiMix-9 Duplex 25943

- 230V, Electrically driven mixer
- Dual 120mm mixers
- Spindle length 550mm
- · Single speed and electronic regulator
- Spindle speed 480rpm
- Max mixing capacity 50kgs
- Weighs 9kgs

All Rubi Manual Cutters, Electric Cutters and Mixers come with a 2 year warranty against manufacturing defects. Visit www.rubi.com for the complete range of products.

## For Sales & Services, Contact Authorised Distributors ALPHA MARKETING

C-199, Naraina Industrial Area, Phase-1, New Delhi, India-110028 tilingtool@alphaeqpt.com, interiors@alphaeqpt.com +91-9811781287, 9811781283, 011-45578023 www.alphaeqpt.com